



KOMATSU



DIENTES / TEETH Penetration HD Elite - PHD

Trasteel
ELITE



Mayor Rendimiento
Better Performance



Mayor Durabilidad
Longer Wear-life



Mayor Penetración
Higher Penetration





Autoafilante
Self Sharpening





Diseño Elite
Elite Design



Aleación De Alta Calidad
High Quality Alloy



Talla Size	Referencia Reference	Peso Weight	A	B	C	Alternativa Alternative OEM	Portadientes Adapters	Pasador Pin
PC200	TSK-200-PHD	5,6	260	100	56	205-70-19570	205-70-68141	09244 - 02496
PC300	TSK-300-PHD	8,65	290	124	59	207-70-14151	207-70-14142	09244 - 02516
PC400	TSK-400-PHD	13,5	330	145	73	208-70-14152	208 - 70 - 14143	09244 - 03036




Talla Size	Referencia Reference	Peso Weight	A	B	C	Portadientes Adapters	Pasador Pin
PC60	201-70-24140	1,8	-	-	-	-	20X-70-00150
PC100	20X-70-14160	2,3	175	77	65	-	20X-70-00100
PC120	202-70-12130	4,2	202	92	85	-	202-70-12140
PC200	205-70-19570	4,1	219	96	78	205-70-68141	09244-02496
PC300	207-70-14151	6,6	244	120	94	207-70-14142	09244-02516
PC400	208-70-14152	9,5	274	151	113	208-70-14143	09244-03036
PC650	209-70-54210	28	370	174	140	209-70-74140	209-70-54240
PC1250	21N-72-14290	43	450	180	163	21N-70-14140	21N-70-14330



DIENTES / TEETH

Rock Chisel - RC

Trasteel
COMMODITY



Talla Size	Referencia Reference	Peso Weight	A	B	C	Alternativa Alternative Elite	Portadientes Adapters	Pasador Pin
PC100	20X-70-14160RC	2,5	-	-	-	-	-	-
PC200	205-70-19570RC	5,4	254	100	38	TSK-200-PHD	205-70-68141	09244-02496
PC300	207-70-14151RC	8,8	290	126	42	TSK-300-PHD	207-70-14142	09244-02516
PC400	208-70-14152RC	13,8	360	154	54	TSK-400-PHD	208-70-14143	09244-03036
PC650	209-70-54210RC	32	440	180	70	-	209-70-74140	209-70-54240
PC1250	21N-72-14290RC	54,5	-	-	-	-	21N-70-14140	21N-70-14330



Talla Size	Referencia Reference	Peso Weight	A	B	C	Portadientes Adapters	Pasador Pin
PC200	205-70-19570TL	5	-	-	-	09244-02496	09244-02496
PC300	207-70-14151TL	9,2	-	-	-	09244-02516	09244-02516
PC400	208-70-14152TL	13,9	-	-	-	09244-03036	09244-03036
PC650	209-70-54210TL	27,3	-	-	-	209-70-54240	209-70-54240
PC1250	21N-72-14290TL	44	-	-	-	21N-72-14330	21N-70-14330




DIENTES / TEETH

Esco - STD

Trasteel
 COMMODITY



Talla Size	Referencia Reference	Peso Weight	A	B	C	Portadientes Adapters	Pasador Pin
PC60	20X-70-23161 (25S)	2,3	-	-	-	-	25-30PN
PC100	203-70-43150 (30S)	2,5	-	-	-	-	25-30PN
PC200	205-70-74272 (35S)	4,3	-	-	-	-	35-PN
PC300	206-70-54221 (40S)	7,5	-	-	-	-	40-PN
PC400	208-70-34211 (45S)	10,1	-	-	-	-	45-PN



Trasteel
COMMODITY

PORTADIENTES / ADAPTERS

Portadientes / Adapters



Talla Size	Referencia Reference	Peso Weight	A	B	C		Aplicación Application	Pasador Pin
PC200	205-70-68141	6,8	299	90	-	35	PC180 / PW180 / PC200	09244-02496
PC300	207-70-14142	14,8	367	115	-	40	PC210 / PW210 / PC220 / PC240 / PC280 / PC300 / PC340 / PC360 / PC380	09244-02516
PC400	208-70-14143	21,3	411	136	-	50	PC340 / PC360 / PC380 / PC400 / PC450	09244-03036
PC650	209-70-74141	44,5	563	199	-	80	PC600 / PC650 / PC750 / PC800	209-70- 54240
PC1250	21N-70-14140	76,8	699	176	-	85	PC800 / PC1000 / PC1100 / PC1200	21N-70- 14330



DIENTES / TEETH STD

Trasteel
COMMODITY



Talla Size	Referencia Reference	Peso Weight	A	B	C	Portadientes Adapters	Pasador Pin
WA100	201-70-24140	1,8	-	-	-	-	-
WA180	20X-70-14160	2,3	175	77	65	-	-
WA300	202-70-12130	4,2	202	92	85	-	09244-02496
WA380	423-847-1140	8,6	-	-	-	-	09244-02516
WA500	426-847-1110	12,5	285	138	106	-	09244-03036
WA800	427-70-13731	31	-	-	-	-	21N-70-14330
W800	427-70-13780	50	-	-	-	-	21N-70-14330



Talla Size	Referencia Reference	Peso Weight	A	B	C	Aplicación Application	Tornillo Bolt	Tuerca Nut
-	312204052	6,4	-	-	20	-	3F5108	3F5108
-	312204053	6,4	-	-	20	-	3F5108	3F5108
-	312204054	4	-	-	20	-	3F5108	3F5108



DIENTES / TEETH Ripper Elite

Trasteel
ELITE



Mayor Rendimiento
Better Performance



Mayor Durabilidad
Longer Wear-life



Mayor Penetración
Higher Penetration



Autoafilante
Self Sharpening



Diseño Elite
Elite Design



Aleación De Alta Calidad
High Quality Alloy



Fig. 1



Fig. 2





Fig. 3



Talla Size	Referencia Reference	Peso Weight	A	B	C	Figura Figure	Alternativa Alternative OEM	Aplicación Application	Pasador Pin
D65	TSK65SM	13,5	350	120	96	1	141-78-11254	D55 / D60 / D65 / D75	09244-02508
D155	TSK155SM	15,5	385	130	96	2	175-78-31230	D85 / D150 / D155	09244-02508
D355	TSK355SM	18,6	400	120	100	2	195-78-21331	D275 / D355	09244-02508
D375	TSK375SM	28,5	460	130	110	3	195-78-71320	D375	09244-03036





Fig. 1



Fig. 2



Fig. 3


Talla Size	Referencia Reference	Peso Weight	A	B	C	Figura Figure	Aplicación Application	Pasador Pin
D45	131-78-31190	9,1	262	90	80	1	D40 / D45 / D50 / D53	09244-02496
D65	141-78-11253	12,2	278	128	100	3	D55 / D60 / D65 / D75	09244-02508
	141-78-11254	12,7	342	128	80	2	D55 / D60 / D65 / D75	09244-02508
D155	175-78-31230	15,2	335	125	75	3	D85 / D150 / D155	09244-02508
	175-78-31293	15,4	380	125	82	2	D85 / D150 / D155	09244-02508
D355	195-78-21331	16	385	123	75	3	D275 / D355	09244-02508
	195-78-29140	21,8	420	123	92	2	D275 / D355	09244-02508
D375	195-78-71320	26	440	130	90	2	D375	09244-02508
	195-78-71350	-	487	116	90	3	D375	09244-02508
D475	198-78-21340IR	44	481	166	95	-	D475	09244-03036
	198-78-21350	-	-	-	-	3	D475	09244-03036
	198-78-21380	-	-	-	-	3	D475	09244-03036




COMPONENTES / COMPONENTS

Protectores de Ripper / Ripper Protectors

Trasteel
COMMODITY



Talla Size	Referencia Reference	Peso Weight	A	B	C	Figura Figure	Aplicación Application	Pasador Pin
D155	195-78-21320	15,4	465	164	79	-	D155 - D275 - D355	09244-02508
	195-78-21580	23,6	721	126	79	-	D155 - D275 - D355	09244-02508
D375	195-78-71111-B	21,3	555	205	83	-	D375	09244-02508
	195-78-72410	52,8	898	222	78	-	D375	09244-02508
D475	198-78-21330	42	-	-	100	-	D475	09244-03036



.Trasteel
COMMODITY

COMPONENTES / COMPONENTS

Cantoneras Fundido / Cast End Bits



Referencia Reference	RH / LH	Peso Weight	Aplicación Application
144-70-11180	RH	14	D41 / D58 / D60 / D61 / D65
144-70-11190	LH	14	D41 / D58 / D60 / D61 / D65
175-71-22272	RH	39	D61 / D65 / D135 / D150 / D155
175-71-22282	LH	39	D61 / D65 / D135 / D150 / D155
175-70-21126	RH	38	D135 / D150 / 155
175-70-21136	LH	38	D135 / D150 / 155
17M-71-21930	RH	73,5	D155 / D275
17M-71-21940	LH	73,5	D155 / D275
195-71-61930	RH	110	D375 / D455
195-71-61940	LH	110	D375 / D455